

F/LINE33 INBOARD Standard Specification 2021 Model Year - v1



Main Deck - Layout 1



Main Deck - Layout 2



al Dimensions	

Principal Dimensions	
Length overall:	32
Beam:	11
Draft:	2'1
Airdraft:	6'4
Berths:	2 -
Fuel capacity:	15
Displacement (light):	5.9
Water capacity:	48
Black waste capacity:	27
	Length overall: Beam: Draft: Airdraft: Berths: Fuel capacity: Displacement (light): Water capacity:

Engines & Performance

2 x Volvo Penta D3-220	2 x
Max. power: 440 hp	Ма
Drive: Sterndrive	Dri
Fuel: Diesel	Fu
Max. speed: 32 knots	Ма

2 x Volvo Penta V8-430 Max. power: 860 hp Drive: Sterndrive Fuel: Petrol Max. speed: 48 knots Type approval:

Capacity:

Lower Deck



2'9" (9.99m) 1'6" (3.5m) 10" (0.87m) unloaded 4" (1.95m) HardTop 11'9" (3.63m) - 4 50 gallons / 180 US gallons (680 litres) 93 tonnes / 6.65 US tonnes (6,029kg) 8 gallons / 58 US gallons (220 litres) 7 gallons / 21 US gallons (80 litres)

x Volvo Penta V6-240 ax. power: 480 hp rive: Sterndrive uel: Petrol ax. speed: 33 knots

CE Category C 8 people



Standard Specification

INBOARD

Deck:

- Anchor light

- Anchor chain (galvanised 8mm x 30m)
- Anchor chain locker
- Anchor winch controls
- Anchor winch (electric)
- Bilge pump switches with integral operating warning lights & audible alarms
- Chain stopper (10mm)
- Ensign/courtesy flag staff
- Fenders (x6)
- Fuel filler
- High capacity emergency manual bilge pump system
- Horn
- Hot & cold-water handheld transom shower
- Mooring lines
- Moulded non-slip deck surface
- Navigation lights
- Recessed self-draining area on foredeck for optional sunbed cushions
- Self-stowing stainless-steel anchor (10kg)
- Stainless steel pop-up bow, spring & stern cleats
- Side deck access
- Stainless steel stemhead roller
- Toughened, single piece, curved glass windscreen
- Water filler
- Waste outlet

Helm Position:

- Bucket seats fixed height
- Compass
- Cup holders
- Electronic single-lever throttle & gear controls for port & starboard engines
- Full engine monitoring including; digital tachometers, oil pressure gauges, temperature gauges, audible alarms, engine hour meters, helm position indicator, compass
- Analogue gauges for engine tachometers, engine temperatures & fuel tank levels
- 7" Garmin[®] display screen
- Garmin[®] VHF 315i marine radio
- USB socket

Electrical Systems:

- All 240V, 12V circuits with circuit protection
- Electrical sockets
- Heavy duty circuit breakers
- Isolating switches to all batteries
- 12 Volt
- Batteries x 2 for domestic services
- Battery crossover system

240 Volt

- Polarity check & earth leakage protection system
- Regulated battery invertor/charger
- Shore power supply

* Layout 1 only ** Layout 2 only





Standard Specification

INBOARD

Cockpit:

- 2 x 8" waterproof speakers
- Boat hook
- Controls for engine bay fire extinguisher system
- Engine compartment access hatch
- Exterior upholstery & helm covers
- Fusion[®]Apollo audio unit
- Life raft stowage
- Manual bilge pumps
- Moulded non-slip deck surface
- Step for side deck access
- Table GRP, fixed height *
- Table teak, fixed height **
- Under seat stowage
- USB socket
- Wet bar with sink & fridge *
- Wet bar with sink **

Cabin:

- 2 x half height hanging lockers
- 4 x trinket lockers
- Double bed (king)
- LED ceiling lights
- Opening porthole

* Layout 1 only ** Layout 2 only

Saloon:

- Access to head
- Companionway timber steps
- First aid kit
- Fixed height table
- Electrical distribution panel
- Fire extinguisher (manual)
- LED ceiling lights
- Lockers (eye level)
- Oak Satin
- Sliding companionway door to cockpit
- Stowage lockers under seating
- 'V' shaped sofa

Bathroom:

- Automatic shower tray pump-out system
- Electric silent-flush freshwater toilet
- Extractor fan
- Full set of bathroom fittings
- Full standing-height shower with adjustable shower head
- Mirrored cabinet doors
- Skylight
- Vanity unit locker & basin with hot & cold pressurised water





Standard Specification

INBOARD

Hullform & Construction:

- Antifouling protection to hull
- Deep 'V' hull design by J&J Design
- Design, layout & detailing by Alberto Mancini Yacht Design and the Fairline Yachts Design Studio
- Full length moulded spray deflectors
- Hull & deck colour White
- Integrally moulded engine bearers
- Polyurethane foam cores throughout deck for strength & thermal insulation
- Resin infused hull & internal liner
- Transverse & longitudinal strengthening stringers throughout hull

Engines & Sterngear:

- Automatic engine bay fire extinguisher system
- Electric trim tabs
- Seacocks on all inlets/outlets below waterline

Fuel System:

- Emergency fuel shut-off valves
- Twin fuel tanks 680 litre capacity
- Water separators & fuel filters

Freshwater System:

- Automatic, pressurised supply
- Calorifier hot water system 60 litre capacity
- Water tank 160 litre capacity

Black Waste:

- Holding tank - 80 litre capacity

Commissioning:

- Full pre-delivery inspection & vessel commissioning at the Fairline Commissioning Centre, Ipswich, UK

USA Specifications: - Voltage - 110V 60Hz

* Layout 1 only ** Layout 2 only







Whilst every effort is made to keep all sales literature up to date, it should not be regarded as an infallible statement of current specifications & does not constitute an offer for the sale of any particular boat. We continually seek to improve the specification & design of our boats, so alterations & upgrades to specifications take place continually. Appointed dealers are not agents of Fairline Yachts Ltd & are not authorised to commit Fairline Yachts Ltd by any express or implied undertaking or representation. Performance Figures: Power quoted in our literature for engines is crankshaft output.

Performance Estimates: Performance estimates are given in good faith but are in no way guaranteed for any particular model. Dirt on the bottom of the boat, damage to the propellers, engine tuning, external water & air temperatures & the weight of crew, fuel & water carried can all adversely affect performance. For those & other reasons we can give no performance guarantees

F-LINE.COM //.....

Published by Fairline Yachts Ltd, Oundle, PE8 4HN, England Tel: +44 (0) 1832 273 661

© FAIRLINE YACHTS LTD 2021. ALL RIGHTS RESERVED. FAIRLINE AND F-LINE ARE REGISTERED TRADE MARKS OF FAIRLINE YACHTS LTD. TOGETHER WITH ALL TEXT AND IMAGES CONTAINED IN THIS PRINTED MATERIAL, THEY ARE PROTECTED BY COPYRIGHT AND MAY NOT BE REPRODUCED IN ANY FORM WITHOUT THE EXPRESS WRITTEN PERMISSION OF THE COPYRIGHT OWNERS. E&OE.